

115 YEARS OF QUALITY & SATISFACTION



ProGuard Series




WIRE MESH

**TENANT
STORAGE
LOCKERS**



ProGuard Series: Wire mesh storage lockers provide secure, individual storage in shared spaces, ideal for apartments, condos, and communal living. Designed for durability, they offer visibility and air circulation, ensuring a clean, organized experience. With their sleek construction, ProGuard lockers keep items safe, accessible, and protected, making them a reliable choice for property managers and residents.

Standard Locker Configurations:



Single Tier -


A single-tier wire mesh locker features one full-length compartment, providing ample vertical space for storing tall items like uniforms or equipment. This design maximizes storage efficiency and accessibility within a compact footprint.

Double Tier -

A double-tier wire mesh locker is divided into two stacked compartments, offering separate storage spaces within the same vertical area. This design is ideal for maximizing storage capacity in limited spaces, allowing multiple users to store items securely.


Custom sized widths / depths, and tiered locker options available

Product Gallery




Standard Product Specifications:

Standard Construction:



1 1/4" x 1 1/4" x 1/8" thick angle iron




10GA. 2" x 2" square welded wire mesh

(Other mesh options available)

Standard Color options:



Battleship Gray



Jet Black

Standard Locker Sizes:

3FT Wide

3' - 0" deep x 7' - 6" high
4' - 0" deep x 7' - 6" high
5' - 0" deep x 7' - 6" high

4FT Wide

3' - 0" deep x 7' - 6" high
4' - 0" deep x 7' - 6" high
5' - 0" deep x 7' - 6" high

5FT Wide

3' - 0" deep x 7' - 6" high
4' - 0" deep x 7' - 6" high
5' - 0" deep x 7' - 6" high

6FT Wide

3' - 0" deep x 7' - 6" high
4' - 0" deep x 7' - 6" high
5' - 0" deep x 7' - 6" high

Doors: Framed with a 1 1/4" x 1 1/4" x 1/8" thick angle iron frame prehung at the factory into a 1 1/4" x 1 1/4" x 1/8" thick angle iron four sided door outer frame. Included is three (3) 2 1/2" x 3" spun-pin hinges, 2" x 1 1/2" door stops (2 per door), and padlock hasps. ADA entry compliance available using a 1 1/4" x 1/8" flat at bottom of door buck.

"Front" return panels: 1 1/4" x 1 1/4" x 1/8" angle iron frame on three sides and 2" x 1/8" thick flat stock frame, all with 5/16" x 1" slotted holes every 20" on center.

"Back" return panels (optional): 1 1/4" x 1 1/4" x 1/8" angle iron frame on all four sides sides with 5/16" x 1" slotted holes every 20" on center.

Front panels (optional): 1 1/4" x 1 1/4" x 1/8" angle iron frame on all four sides sides with 5/16" x 1" slotted holes every 20" on center.

Back panels (optional): 1 1/4" x 1 1/4" x 1/8" angle iron frame on top and bottom sides and 2" x 1/8" thick flat stock on vertical sides, all with 5/16" x 1" slotted holes every 20" on center. Also available in 16ga. sheet metal.


Ceilings (optional): 1 1/4" x 1 1/4" x 1/8" angle iron frame on all four sides sides with 5/16" x 1" slotted holes every 20" on center.

Locks: 1 1/4" x 1 1/4" x 1/8" angle iron clip with 5/16" x 3/4" slotted hole, and round hole to accept combination tenant lock. Key lock also available


Hardware: 1/4 20 x 1" carriage bolts, "nail in" anchors to wall and floor.

Finish: Electrostatic painted enamel. standard colors are battleship gray and semi-gloss black

Example view of panel placement:



Single tier, single depth locker




Single tier, multi depth locker

"Standard"


Wire Mesh / Expanded metal / Sheet metal Options:

We offer a wide variety of additional styles of both welded and woven wire meshes. Please see below for a type of wire mesh that fits your project or specification best. We also offer custom wire mesh styles depending on your needs.

Note: (Wire mesh sizes are not to scale. please ask for a sample or accurate scaled pictures)



10GA 2" x 2" Welded
Square wire mesh



10GA 1 1/2" Diamond woven
wire mesh, Intercrip



10GA 2" x 1" Rectangle
woven wire mesh,
Intercrip



16GA Sheet Metal



Flattened Expanded Metal
(variety of sizes & guages)



6GA 2" Diamond woven
wire mesh, Intercrip

Custom Wire Mesh / Expanded metal / Sheet Metal
options available.

Door Lock Options:

"Standard"



Padlock Hasp

A padlock hasp for wire mesh lockers provides enhanced security, durable construction, easy installation, and compatibility with various padlocks—all at a budget-friendly cost. Fastened using 1/4-20 x 3/4" carriage bolts and Kep nuts, it's designed for sturdy attachment and long-lasting reliability. This simple addition offers peace of mind by effectively safeguarding tenants' belongings.

Upgrade



Marks 3700 Series Lockset

Mortise Locksets: Enhanced Security and Versatility Mortise locksets are an excellent choice when enhanced security or key monitoring is required. These locksets allow building owners or staff to easily change out interchangeable cores (I.C. cores), providing greater versatility for access control. Additionally, this lockset can be upgraded to meet ADA compliance by incorporating an interior lever, ensuring it aligns with accessibility regulations. For more information, feel free to contact us—we're here to help!

Custom lock options available upon request.

MARKS LOCKSET SETUP OPTIONS



Standard Exterior

Key Lock

Key operates the interior mechanism and retracts the tongue or latch to unlock and open the door.



Standard Interior

Recessed Thumb Turn

Recessed thumb turn adds a adds layer of security. Hard to pick..

Alternate Fronts



Thumb Turn Latch
(Latches, Does not lock)



Cylinder W/ I.C Core
(Latches, locks)
(small format, 6-7 pin)



Exterior Door Knob
(Latches, Does not lock)

Alternate Backs



Interior Door knob
(Latches, Locks)



Interior Lever Handle
(Latches, Locks)
ADA Compliant



Interior Key
(Latches, Locks)



Please send via email to sales@newarkwireworks.com or fax to (732)-661-2003. You may also submit online through our product page by attaching this sheet to contact form. Fill out as much information as you can. Any questions please do not hesitate to reach out to one of our experienced Sales Reps via phone at **1-(866)-347-1910**.

SKETCH / DRAW & SEND

NAME:		COMPANY:	
STREET, CITY, STATE, & ZIP CODE:			
PHONE:		EMAIL ADDRESS:	
PROJECT NAME:		PROJECT ADDRESS:	
NEED INSTALLATION?: ☐ Yes ☐ No		ESTIMATED TIMEFRAME NEEDED?	

LOCKER QUANTITY:	LOCKER SIZE:			SHELVES:	CEILING:	SWEEP SPACE:
Single Tier: _____	WIDTH	DEPTH	HEIGHT	☐ Sheet Metal	☐ Yes	☐ Panels sit on floor
Double Tier: _____	☐ 3' - 0" wide (Standard)	☐ 3' - 0" deep (Standard)	☐ 7' - 6" high (Standard)	☐ Wire Mesh	☐ No	☐ 2"
Triple Tier: _____	☐ 4' - 0" wide	☐ 4' - 0" deep	☐ 8' - 0" high	# OF SHELVES:	BACK PANELS:	☐ 6" - (Swing over tire stop)
Other: _____	☐ 5' - 0" wide	☐ 5' - 0" deep	☐ 9' - 0" high			
(please specify)	☐ Other: _____ (please specify)	☐ Other: _____ (please specify)	☐ Other: _____ (please specify)			
				☐ 1	☐ Yes	☐ Other: _____ (please specify)
				☐ 2	☐ No	
				☐ 3		

MESH TYPE:	LOCKS OPTIONS:	FINISH:
☐ 10 GA. 2" Square welded wire mesh - SKU # - PG220S (Standard)	☐ Padlock Hasp (Standard)	☐ Electrostatic Painted Enamel (Standard)
☐ 10 GA. 1 1/2" Diamond woven wire mesh (SKU # - PG215DW)	☐ Standard Cylinder lock, keyed	☐  Battleship Gray (Standard)
☐ 10 GA. 2" X 1" Rectangular woven wire mesh (SKU # - PG221RW)	☐ Alike ☐ Different	☐  Jet Black
☐ Other: _____ (please specify)	☐ Other: _____ (please specify)	☐ Powder Coat RAL# - _____
		☐ Hot Dip Galvanized - (Best for outdoor / Exterior applications)

NOTES:

A full-page view of a blank sheet of graph paper. The page is covered by a uniform grid of thin, light gray lines forming small squares. There are no margins, text, or other markings on the paper.

PROGUARD SERIES TENANT STORAGE LOCKERS