


SECURITY | SAFETY | STORAGE

ProGuard Series




WIRE MESH TENANT STORAGE LOCKERS



PROGUARD SERIES | WIRE MESH STORAGE LOCKERS

ProGuard Series wire mesh tenant storage lockers offer secure, individual storage solutions within shared spaces, making them an excellent choice for apartments, condos, and communal living environments. Engineered for lasting durability, these lockers feature a robust wire mesh design that provides superior visibility and air circulation, promoting a clean and organized storage experience. With their sleek, functional construction, ProGuard lockers ensure that stored items remain safe, accessible, and protected, making them a trusted solution for property managers and residents alike.

Standard Locker Configurations:



Single Tier -

A single-tier wire mesh locker features one full-length compartment, providing ample vertical space for storing tall items like uniforms or equipment. This design maximizes storage efficiency and accessibility within a compact footprint.


Double Tier -


A double-tier wire mesh locker is divided into two stacked compartments, offering separate storage spaces within the same vertical area. This design is ideal for maximizing storage capacity in limited spaces, allowing multiple users to store items securely.


Custom sized widths / depths, and tiered locker options available

Standard Product Specifications:

Standard Construction:









10GA. 2" x 2" square welded wire mesh

Standard Color options:



Battleship Gray



Jet Black

Standard Locker Sizes:

3FT Wide

3' - 0" deep x 7' - 6" high

4' - 0" deep x 7' - 6" high

5' - 0" deep x 7' - 6" high

4FT Wide

3' - 0" deep x 7' - 6" high

4' - 0" deep x 7' - 6" high

5' - 0" deep x 7' - 6" high

5FT Wide

3' - 0" deep x 7' - 6" high

4' - 0" deep x 7' - 6" high

5' - 0" deep x 7' - 6" high

6FT Wide

3' - 0" deep x 7' - 6" high

4' - 0" deep x 7' - 6" high

5' - 0" deep x 7' - 6" high

Doors: Framed with a 1 1/4" x 1 1/4" x 1/8" thick angle iron frame prehung at the factory into a 1 1/4" x 1 1/4" x 1/8" thick angle iron four sided door outer frame. Included is three (3) 2 1/2" x 3" spun-pin hinges, 2" x 1 1/2" door stops (2 per door), and padlock hasps. ADA entry compliance available using a 1 1/4" x 1/8" flat at bottom of door buck.

"Front" return panels: $1 \frac{1}{4}$ " x $1 \frac{1}{4}$ " x 1/8" angle iron frame on three sides and 2" x 1/8" thick flat stock frame, all with $\frac{5}{16}$ " x 1" slotted holes every 20" on center.

"Back" return panels (optional): $1 \frac{1}{4}$ " x $1 \frac{1}{4}$ " x 1/8" angle iron frame on all four sides sides with $\frac{5}{16}$ " x 1" slotted holes every 20" on center.

Front panels (optional): $1 \frac{1}{4}$ " x $1 \frac{1}{4}$ " x 1/8" angle iron frame on all four sides sides with $\frac{5}{16}$ " x 1" slotted holes every 20" on center.

Back panels (optional): $1 \frac{1}{4}$ " x $1 \frac{1}{4}$ " x 1/8" angle iron frame on top and bottom sides and 2" x 1/8" thick flat stock on vertical sides, all with 5/16" x 1" slotted holes every 20" on center. Also available in 16ga. sheet metal.


Ceilings (optional): $1 \frac{1}{4}$ " x $1 \frac{1}{4}$ " x $1 \frac{1}{4}$ " angle iron frame on all four sides sides with $\frac{5}{16}$ " x 1" slotted holes every 20" on center.

Locks: 1 1/4" x 1 1/4" x 1/8" angle iron clip with 5/16" x 3/4" slooted hole, and round hole to accept combination tenant lock. Key lock also available

Hardware: 1/4 20 x 1" carraige bolts, "nail in" anchors to wall and floor.

Finish: Electrostatic painted enamel. standard colors are battleship gray and semi-gloss black


Example view of panel type placement:



Wire Mesh / Infill Options


We offer a wide variety of additional styles of both welded and woven wire meshes. Please see below for a type of wire mesh that fits your project or specification best. We also offer custom wire mesh styles bepending on your needs.

Note: (Wire mesh sizes are not to scale. please ask for a sample or accurate scaled pictures)




10GA 2" x 2" Welded Mesh SKU# - PG220

"Standard"



10GA 1 1/2" Diamond Mesh SKU# - PG215




10GA 2" x 1" Rectangle Mesh SKU# - PG200



16GA Sheet Metal



Flattened Expanded Metal (variety of sizes & guages)



6GA 2" Diamond Woven


Custom Wire Mesh / Expanded metal / Sheet Metal options available.

Gallery









PROGUARD SERIES I WIRE MESH STORAGE LOCKERS

Quote Request Form:

Please fill out as much information as you can. Any questions please do not hesitate to reach out to one of our expereienced Sales Reps via phone 1-(866)-347-1910 or by email at sales@newarkwireworks.com.

Name (required)		
Company		Last
Сопрапу		
Phone		 Email
		Linaii
Address		
Street Address		
City		State Zip code
Project Specfics:		
Project Name		
Project Address		
Street address		
City		State Zip code
Timeframe needed:	Installation Services:	Locker Specifics:
□ ASAP □ 2-3 weeks □ 4-5 weeks □ 3 months □ 6 months □ within the year □ Planning stages □ Budget pricing □ Project Bid	□ Not required	QTY:
	□ Non-union	☐ Single Tier ☐ Double Tier ☐ Both
	☐ Union	Locker Size: Locket Height:
	☐ Prevailing Wage	Need wire mesh ceilings? ☐ yes ☐ no
	☐ Include as line item	Need shelves? ☐ yes ☐ no
	☐ Delivery only required	Need special lock? ☐ yes ☐ no
		Finish: ☐ Paint ☐ Powder coat ☐ Galvanized

PROGUARD SERIES | WIRE MESH STORAGE LOCKERS

Quote Sketch Form:

